

EAST Search History

*East
Text
Search*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((record\$4 or reproduc\$4) and ((record\$4 near3 position\$1) same (amplitude near4 gain\$1) same (tim\$4 near3 recover\$3)) and (first near3 redundant near3 code\$1) and (second near4 redundant near4 code\$1) and ((soft or hard) near3 (output or decision\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:06
L2	1	((record\$4 or reproduc\$4) and (first near3 redundant near3 code\$1) and (second near4 redundant near4 code\$1) and ((soft or hard) near3 (output or decision\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:05
L3	1	((record\$4 or reproduc\$4) and (first near3 redundant near3 code\$1) and (second near4 redundant near4 code\$1) and (Reed-solomon near3 cod\$3) and (turbo near3 cod\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:05
L4	356	((record\$4 or reproduc\$4) and ((Reed-solomon or RS) near3 (encod\$4 or cod\$3)) and (turbo near3 (encod\$4 or cod\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:08
L5	31	((record\$4 or reproduc\$4) and ((Reed-solomon or RS) near3 (encod\$4 or cod\$3)) and ((turbo or concatenated) near3 (encod\$4 or cod\$4)) and (redundant near3 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:09
L6	9	((record\$4 or reproduc\$4) near4 (process\$4 or medium)) and ((Reed-solomon or RS) near3 (encod\$4 or cod\$3)) and ((turbo or concatenated) near3 (encod\$4 or cod\$4)) and (redundant near3 cod\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:11

EAST Search History

L7	3	((record\$4 or reproduc\$4) near4 (process\$4 or medium)) and ((Reed-solomon or RS) near3 (encod\$4 or cod\$3)) and ((turbo or concatenated) near3 (encod\$4 or cod\$4)) and (redundant near3 cod\$3 near3 sequence\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:12
L8	3	((record\$4 or reproduc\$4) near4 (process\$4 or medium)) and ((Reed-solomon or RS) near3 (encod\$4 or cod\$3)) and ((turbo or concatenated) near3 (encod\$4 or cod\$4)) and (redundant near3 cod\$3 near3 sequence\$1) and (interleav\$4 or permut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:15
L9	3	((record\$4 or reproduc\$4)) and ((Reed-solomon or RS) near3 (encod\$4 or cod\$3)) and ((turbo or concatenated) near3 (encod\$4 or cod\$4)) and (redundant near3 cod\$3 near3 sequence\$1) and (interleav\$4 or permut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:15

EAST
PGPUB
Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((record\$4 or reproduc\$4) and ((record\$4 near3 position\$1) same (amplitude near4 gain\$1) same (tim\$4 near3 recover\$3)) and (first near3 redundant near3 code\$1) and (second near4 redundant near4 code\$1) and ((soft or hard) near3 (output or decision\$1)))) .clm.	US-PGPUB	OR	OFF	2007/08/30 10:30
L2	0	((record\$4 or reproduc\$4) and (information near3 code\$1 near3 sequence\$1) and (redundant near4 code\$1 near3 sequence\$1) and ((switch\$4 or chang\$4) near3 code\$1)) .clm.	US-PGPUB	OR	OFF	2007/08/30 10:35
L3	0	((information near3 code\$1 near3 sequence\$1) and (redundant near4 code\$1 near3 sequence\$1) and ((switch\$4 or chang\$4) near3 code\$1)) .clm.	US-PGPUB	OR	OFF	2007/08/30 10:35
L4	1	((information near3 code\$1 near3 sequence\$1) and (redundant near4 code\$1 near3 sequence\$1)) .clm.	US-PGPUB	OR	OFF	2007/08/30 10:35